

Safety Data Sheet date: 11/8/2024, version 3

1. IDENTIFICATION Product identifier Mixture identification: Trade name: CS 135 Class B Part A Other means of identification: SDS code: CS135BA Recommended use of the chemical and restrictions on use Recommended use: Restrictions on use: Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party Manufacturers: Flamemaster Corp., 13576 Desmond Street, Pacoima, CA 9 133 1 - USA CAGE Code: 14439 **Distributors:** Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, www.flamemaster.com Competent person responsible for the safety data sheet: Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, www.flamemaster.com Emergency phone number: CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA) 2. HAZARD(S) IDENTIFICATION **Classification of the chemical**

Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Acute 3, Harmful to aquatic life.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Label elements

Hazard pictograms:



Warning

Hazard statements:

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

CS135BA - version 3 Page 1 / 9



Special Provisions: None Hazards not otherwise classified identified during the classification process: None Ingredient(s) with unknown acute toxicity: None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A. Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 60% - < 70% Liquid polysulfide polymer

CAS: 68611-50-7 US-HAE/A3 Aquatic Acute 3 H402 US-HAE/C3 Aquatic Chronic 3 H412

>= 0.5% - < 1% bis-[4-(2,3-epoxipropoxy)phenyl]propane Index number: 603-073-00-2, CAS: 1675-54-3, EC: 216-823-5

A.3/2A Eye Irrit. 2A H319

- A.2/2 Skin Irrit. 2 H315
- A.4.2/1 Skin Sens. 1 H317

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water. Carbon dioxide (CO2).

CS135BA - version 3

Page 2 / 9



Unsuitable extinguishing m None in particular.	edia
Specific hazards arising fro	om the chemical
	n and combustion gases.
Burning produces heav	vy smoke.
Hazardous combustion pro	
None	
Explosive properties:	N.A.
Oxidizing properties:	N.A.
Special protective equipme	nt and precautions for fire-fighters
Use suitable breathing	apparatus .
Collect contaminated fi drains.	re extinguishing water separately. This must not be discharged into
Move undamaged cont	ainers from immediate hazard area if it can be done safely.
CCIDENTAL RELEASE ME	ASURES

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures Wear personal protection equipment. Remove persons to safety.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

- Incompatible materials:
- None in particular.
- Instructions as regards storage premises:
- Adequately ventilated premises.
- Storage temperature:

Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit available DNEL Exposure Limit Values N.A. PNEC Exposure Limit Values N.A. Appropriate engineering controls: None Individual protection measures Eye protection:

CS135BA - version 3

Page 3 / 9



Use close fitting safety goggles, don't use eye lens. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: Not needed for normal use. Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Physical state:	Paste		
Colour:	Off-white		
Odour:	Sulfurous		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing	N.A.		
point:			
Initial boiling point and	N.A.		
boiling range:			
Flash Point (°F):	>230F		
Flash point (°C):	N.A.		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability	N.A.		
or explosive limits:			
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	1.35		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient	N.A.		
(n-octanol/water):			
Auto-ignition temperature:	N.A.		
Decomposition	N.A.		
temperature:			
Viscosity:	9000-16000cp		
	s		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups	N.A.		



relevant properties

10. STABILITY AND REACTIVITY

Reactivity Stable under normal conditions Chemical stability Stable under normal conditions Possibility of hazardous reactions None Conditions to avoid Stable under normal conditions. Incompatible materials None in particular. Hazardous decomposition products None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Toxicological information of the product: CS 135 Class B Part A Acute toxicity Not classified Based on available data, the classification criteria are not met Skin corrosion/irritation Not classified Based on available data, the classification criteria are not met Serious eye damage/irritation Not classified Based on available data, the classification criteria are not met Respiratory or skin sensitisation The product is classified: Skin Sens. 1 H317 Germ cell mutagenicity Not classified Based on available data, the classification criteria are not met Carcinogenicity Not classified Based on available data, the classification criteria are not met Reproductive toxicity Not classified Based on available data, the classification criteria are not met STOT-single exposure Not classified Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Based on available data, the classification criteria are not met Aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Liquid polysulfide polymer - CAS: 68611-50-7 Acute toxicity:



Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg bis-[4-(2,3-epoxipropoxy)phenyl]propane - CAS: 1675-54-3 Acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 4000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit < 20000 mg/kg Substance(s) listed on the NTP report on Carcinogens: None. Substance(s) listed on the IARC Monographs: bis-[4-(2,3-epoxipropoxy)phenyl]propane - Group 3. Substance(s) listed as OSHA Carcinogen(s): None. Substance(s) listed as NIOSH Carcinogen(s): None. **12. ECOLOGICAL INFORMATION Ecotoxicity** Adopt good working practices, so that the product is not released into the environment. CS 135 Class B Part A The product is classified: Aquatic Acute 3 - H402; Aquatic Chronic 3 - H412 Liquid polysulfide polymer - CAS: 68611-50-7 a) Aquatic acute toxicity: Endpoint: LL50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Oryzias latipes Persistence and degradability N.A.

Bioaccumulative potential N.A. Mobility in soil N.A. Other adverse effects No harmful effects expected.

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

UN number Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations. UN proper shipping name N.A. Transport hazard class(es) N.A. Packing group N.A. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) N.A.

CS135BA - version 3 Page 6 / 9



The product is transported in conditions that comply with exemption criteria for ADR transport.

Special precautions N.A.

15. REGULATORY INFORMATION USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: All the components of this product are listed as active on or are exempt from the TSCA Inventory..

TSCA sections for substances listed in section 3: bis-[4-(2,3-epoxipropoxy)phenyl]propane is listed in TSCA Section 8d HSDR, Section 8b.

SARA - Superfund Amendments and Reauthorization Act

- Section 302 Extremely Hazardous Substances: no substances listed.
- Section 304 Hazardous substances: no substances listed.
- Section 313 Toxic chemical list: no substances listed.
- CERCLA Comprehensive Environmental Response, Compensation, and Liability Act No substances listed.
- CAA Clean Air Act CAA listed substances: None.
- CWA Clean Water Act CWA listed substances: None.

USA - State specific regulations

California Proposition 65 Substance(s) listed under California Proposition 65: None. Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: No substances listed. New Jersey Right to know Substance(s) listed under New Jersey Right to know: No substances listed. Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to know: No substances listed.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

16. OTHER INFORMATION

Full text of phrases referred to in Section 3: H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lasting effects.

CS135BA - version 3

Page 7 / 9



H319 Causes serious eye irritation.H315 Causes skin irritation.H317 May cause an allergic skin reaction.

According to TSCA section 3(2)(B)(i) : a hydrated form of a chemical substance is considered a mixture of the corresponding anhydrous form and water.

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

A	DR:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road.
	TE:	Acute Toxicity Estimate
	TEmix:	Acute toxicity Estimate (Mixtures)
C	AS:	Chemical Abstracts Service (division of the American Chemical Society).
C	LP:	Classification, Labeling, Packaging.
D	NEL:	Derived No Effect Level.
El	INECS:	European Inventory of Existing Commercial Chemical Substances.
G	HS:	Globally Harmonized System of Classification and Labeling of Chemicals.
H	MIS:	Hazardous Materials Identification System
IA	RC:	International Agency for Research on Cancer
IA	TA:	International Air Transport Association.
IA	TA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
IC	CAO:	International Civil Aviation Organization.
	CAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IN	/IDG:	International Maritime Code for Dangerous Goods.
IN	ICI:	International Nomenclature of Cosmetic Ingredients.
K	St:	Explosion coefficient.
LC	C50:	Lethal concentration, for 50 percent of test population.
L	D50:	Lethal dose, for 50 percent of test population.
N	FPA:	National Fire Protection Association
Ν	IOSH:	National Institute for Occupational Safety and Health
N	TP:	National Toxicology Program
0	SHA:	Occupational Safety and Health Administration
PI	NEC:	Predicted No Effect Concentration.
R	ID:	Regulation Concerning the International Transport of Dangerous Goods
		by Rail.
Т	OTAL	
V	OC'S	
(Т	VOC) /	
Ň	ONEXEMPT	
V	OC'S	
(C	CVOC):	
	sing	
	alifornia	
	outh Coast	
Ai	ir Quality	
CS135B	A - version 3	

Page 8 / 9



ManagementDistrict(SCAQMD)Rule 1143.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWA:Time-weighted average

Safety Data Sheet date: 11/8/2024, version 3