

### Safety Data Sheet date: 12/6/2024, version 1

**1. IDENTIFICATION Product identifier** Mixture identification: Trade name: CS-3202 Part B Class B-2 Other means of identification: SDS code: CS3202BB2 Recommended use of the chemical and restrictions on use Recommended use: Industrial uses Sealant Restrictions on use: Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party Manufacturers: Flamemaster Corp., 13576 Desmond Street, Pacoima, CA 9 133 1 - USA CAGE Code: 14439 **Distributors:** Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, www.flamemaster.com Competent person responsible for the safety data sheet: Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, www.flamemaster.com Emergency phone number: CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA)

## 2. HAZARD(S) IDENTIFICATION

#### **Classification of the chemical**

Warning, Flam. Liq. 4, Combustible liquid.

Warning, Acute Tox. 4, Harmful if swallowed.

Warning, Acute Tox. 4, Harmful in contact with skin.

Warning, Acute Tox. 4, Harmful if inhaled.



Danger, Carc. 1B, May cause cancer.

Danger, Repr. 1A, May damage fertility or the unborn child.

Warning, STOT RE 2, May cause damage to organs through prolonged or repeated exposure.

Warning, Aquatic Acute 1, Very toxic to aquatic life.



Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Label elements Hazard pictograms:

CS3202BB2 - version 1 Page 1 / 10





Danger Hazard statements: H227 Combustible liquid. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H350 May cause cancer. H360 May damage fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Precautionary statements: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/clothing and eye/face protection. P301+P312 IF SWALLOWED: Immediately call a POISON CENTER/doctor/... if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water/... P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P308+P313 IF exposed or concerned: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P330 Rinse mouth. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use Alcohol foam, carbon dioxide (CO2), dry chemical, water spray/water fog to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions: None Hazards not otherwise classified identified during the classification process: None Ingredient(s) with unknown acute toxicity: None. 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

#### N.A.

#### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 60% - < 70% Lead dioxide

CS3202BB2 - version 1

Page 2 / 10



CAS: 1309-60-0 B.13/3 Ox. Liq. 3 H272

A.1/4/Dermal Acute Tox. 4 H312


A.1/4/Inhal Acute Tox. 4 H332

A.1/4/Oral Acute Tox. 4 H302

A.6/1B Carc. 1B H350

A.7/1A Repr. 1A H360

A.9/2 STOT RE 2 H373



US-HAE/C1 Aquatic Chronic 1 H410

## **4. FIRST-AID MEASURES**

#### **Description of necessary measures**

#### In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

### In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

### In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show the packing or label.

### Most important symptoms/effects, acute and delayed

None

## Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media:

In case of fire: Use Alcohol foam, carbon dioxide (CO2), dry chemical, water spray/water fog to extinguish.



Unsuitable extinguishing me None in particular.	edia
Specific hazards arising from	n the chemical
Do not inhale explosion	and combustion gases.
Burning produces heavy	/ smoke.
Hazardous combustion proc	lucts:
None	
Explosive properties:	N.A.
Oxidizing properties:	N.A.
Special protective equipment	nt and precautions for fire-fighters
Use suitable breathing a	apparatus.
Collect contaminated fir drains.	e extinguishing water separately. This must not be discharged into
Move undamaged conta	ainers from immediate hazard area if it can be done safely.
CCIDENTAL RELEASE ME	ASURES

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

#### Methods and materials for containment and cleaning up

Wash with plenty of water.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

#### Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature:

Store at ambient temperature.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Lead dioxide - CAS: 1309-60-0

- OEL Type: ACGIH - TWA: 0.05 mg/m3 - Notes: UNITED STATES

CS3202BB2 - version 1 Page 4 / 10



- OEL Type: NIOSH - TWA: 0.05 mg/m3 - Notes: UNITED STATES - OEL Type: OSHA PEL - TWA: 0.05 mg/m3 - Notes: UNITED STATES **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. Appropriate engineering controls: None Individual protection measures Eye protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: Use adequate protective respiratory equipment. Thermal Hazards: None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Brown		
Odour:	Negligible Oily Odor		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	N.A.		
Flash Point (°F):	200		
Flash point (°C):	93		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/water):	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
Viscosity:	N.A.		
Explosive properties:	N.A.		

CS3202BB2 - version 1 Page 5 / 10



Oxidizing properties:	N.A.	 

9.2. Other information

Properties	Value	Method:	Notes	
Miscibility:	N.A.			
Fat Solubility:	N.A.			
Conductivity:	N.A.			
Substance Groups relevant properties	N.A.			

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Stable under normal conditions Chemical stability Stable under normal conditions Possibility of hazardous reactions None Conditions to avoid Stable under normal conditions. Incompatible materials None in particular. Hazardous decomposition products None.

#### **11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects Toxicological information of the product: CS-3202 Part B Class B-2 Acute toxicity The product is classified: Acute Tox. 4 H302; Acute Tox. 4 H312; Acute Tox. 4 H332 ATEmix - Oral 724.627 mg/kg bw ATEmix - Dermal 1594.18 mg/kg bw ATEmix - Inhalation (Vapours) 15.9418 mg/l Skin corrosion/irritation Not classified Based on available data, the classification criteria are not met Serious eye damage/irritation Not classified Based on available data, the classification criteria are not met Respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Based on available data, the classification criteria are not met Carcinogenicity The product is classified: Carc. 1B H350 Reproductive toxicity The product is classified: Repr. 1A H360 STOT-single exposure Not classified

CS3202BB2 - version 1 Page 6 / 10



Based on available data, the classification criteria are not met STOT-repeated exposure The product is classified: STOT RE 2 H373 Aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: N.A. Substance(s) listed on the NTP report on Carcinogens: None. Substance(s) listed on the IARC Monographs: None. Substance(s) listed as OSHA Carcinogen(s): None. Substance(s) listed as NIOSH Carcinogen(s): None.

**12. ECOLOGICAL INFORMATION** 

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. CS-3202 Part B Class B-2 The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410 Persistence and degradability

N.A. Bioaccumulative potential N.A. Mobility in soil

N.A.

Other adverse effects No harmful effects expected.

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

3082

## **14. TRANSPORT INFORMATION**



UN number ADR-UN Number: DOT number: IATA-UN Number: IMDG-UN Number: UN proper shipping name ADR-Shipping Name:

**DOT-Shipping Name:** 

UN3082 3082 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lead dioxide) Environmentally hazardous substance, liquid, n.o.s.(Lead dioxide)

CS3202BB2 - version 1 Page 7 / 10



IATA-Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lead dioxide)
IMDG-Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lead dioxide)
Transport hazard class(es)	
ADR-Class:	9
DOT Hazard Class: 9	
ADR - Hazard identification nu	mber: 90
IATA-Class:	9
IATA-Label:	9
IMDG-Class:	9
Packing group	-
ADR-Packing Group:	
DOT Packing group: III	
IATA-Packing group:	III
IMDG-Packing group:	
Environmental hazards	
ADR-Enviromental Pollutant:	Yes
IMDG-Marine pollutant:	Yes
	(II of MARPOL 73/78 and the IBC Code)
Special precautions	
	16, 173, 335,441, IB3, T4, TP1, TP29
ADR-Subsidiary hazards:	-
ADR-S.P.:	274 335 375 601
ADR-Transport category (Tunn	el restriction code): 3 (-)
IATA-Passenger Aircraft:	964
IATA-Subsidiary hazards:	
IATA-Cargo Aircraft:	964
IATA-S.P.:	A97 A158 A197 A215
IATA-ERG:	9L
IMDG-EmS:	F-A , S-F
IMDG-Subsidiary hazards:	-
IMDG-Stowage and handling:	Category A
IMDG-Segregation:	•
Q.L.: 5L	
Q.E.: E1	

### **15. REGULATORY INFORMATION**

## **USA - Federal regulations**

TSCA - Toxic Substances Control Act

TSCA inventory: All the components of this product are listed as active on or are exempt from the TSCA Inventory..

TSCA sections for substances listed in section 3: Lead dioxide is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act

- Section 302 Extremely Hazardous Substances: no substances listed.
- Section 304 Hazardous substances: no substances listed.

Section 313 Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

CS3202BB2 - version 1 Page 8 / 10



No substances listed.

- CAA Clean Air Act CAA listed substances: None.
- CWA Clean Water Act CWA listed substances: None.

#### **USA - State specific regulations**

iow:
:
w:

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

## **16. OTHER INFORMATION**

Full text of phrases referred to in Section 3:

- H272 May intensify fire; oxidiser.
- H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

According to TSCA section 3(2)(B)(i) : a hydrated form of a chemical substance is considered a mixture of the corresponding anhydrous form and water.

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ATE: Acute Toxicity Estimate
- ATEmix: Acute toxicity Estimate (Mixtures)

CS3202BB2 - version 1 Page 9 / 10



CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of
0110.	Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
TOTAL	
VOC'S	
(TVOC) /	
NONEXEMPT	
VOC'S	
(CVOC):	
Using	
California	
South Coast	
Air Quality	
Management	
District	
(SCAQMD)	
Rule 1143.	Object Terrer Functional line;
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average

Safety Data Sheet date: 12/6/2024, version 1