

**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

Safety Data Sheet date: 12/18/2024, version 1

---

## 1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: CS-3210 Part A Class B

Other means of identification:

SDS code: CS3210AB

Recommended use of the chemical and restrictions on use

Recommended use:

Industrial uses

Sealant

Restrictions on use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Manufacturers:

Flamemaster Corp., 13576 Desmond Street, Pacoima, CA 91331 - USA CAGE Code:  
14439

Distributors:

Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, www.flamemaster.com

Competent person responsible for the safety data sheet:

Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, www.flamemaster.com

Emergency phone number:

CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA)

---

## 2. HAZARD(S) IDENTIFICATION

Classification of the chemical

Warning, Flam. Liq. 4, Combustible liquid.



Danger, Skin Corr. 1B, Causes severe skin burns and eye damage.



Danger, Eye Dam. 1, Causes serious eye damage.



Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Label elements

Hazard pictograms:



Danger

Hazard statements:

H227 Combustible liquid.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/clothing and eye/face protection.  
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P302+P352 IF ON SKIN: Wash with plenty of water/...  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor/...  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P363 Wash contaminated clothing before reuse.  
P370+P378 In case of fire: Use Alcohol foam, carbon dioxide (CO<sub>2</sub>), dry chemical, water spray/water fog to extinguish.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 50% - < 60% Mercapto-terminated polysulfide polymer

CAS: 109159-22-0



A.2/1B Skin Corr. 1B H314



A.1/4/Dermal Acute Tox. 4 H312



A.4.2/1 Skin Sens. 1 H317



A.3/1 Eye Dam. 1 H318

>= 12.5% - < 15% Aliphatic polysulfide polymer

CAS: 68611-50-7

US-HAE/C3 Aquatic Chronic 3 H412




>= 5% - < 7% Liquid polysulphide polymer with epoxy end groups

CAS: 117527-71-6







A.2/2 Skin Irrit. 2 H315

## Safety Data Sheet (HazCom 2012) CS-3210 Part A Class B - CS3210AB

-  A.4.2/1 Skin Sens. 1 H317
-  A.3/2A Eye Irrit. 2A H319
-  US-HAE/C2 Aquatic Chronic 2 H411

>= 1% - < 3% Silicones and Siloxanes, dimethyl reaction products with silica  
CAS: 67762-90-7  
US-HAE/C3 Aquatic Chronic 3 H412

>= 1% - < 3% Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane]  
REACH No.: Polymer-----, CAS: 25036-25-3

-  A.8/3 STOT SE 3 H336
-  A.2/2 Skin Irrit. 2 H315
-  A.3/2A Eye Irrit. 2A H319
-  A.4.2/1 Skin Sens. 1 H317

---

### 4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.  
**OBTAIN IMMEDIATE MEDICAL ATTENTION.**  
Remove contaminated clothing immediately and dispose of safely.  
After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

---

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

In case of fire: Use Alcohol foam, carbon dioxide (CO<sub>2</sub>), dry chemical, water spray/water fog to extinguish.

Unsuitable extinguishing media

**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

None in particular.  
Specific hazards arising from the chemical  
Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.  
Hazardous combustion products:  
None  
Explosive properties: N.A.  
Oxidizing properties: N.A.  
Special protective equipment and precautions for fire-fighters  
Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures  
Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.  
Methods and materials for containment and cleaning up  
Wash with plenty of water.

---

**7. HANDLING AND STORAGE**

Precautions for safe handling  
Avoid contact with skin and eyes, inhalation of vapours and mists.  
Do not use on extensive surface areas in premises where there are occupants.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.  
See also section 8 for recommended protective equipment.  
Advice on general occupational hygiene:  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
Conditions for safe storage, including any incompatibilities  
Always keep in a well ventilated place.  
Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Cool and adequately ventilated.  
Storage temperature:  
Store at ambient temperature.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters  
No occupational exposure limit available  
DNEL Exposure Limit Values  
N.A.  
PNEC Exposure Limit Values  
N.A.  
Appropriate engineering controls:  
None  
Individual protection measures  
Eye protection:

**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

Use close fitting safety goggles, don't use eye lens.

Protection for skin:  
 Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:  
 Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:  
 Use adequate protective respiratory equipment.

Thermal Hazards:  
 None

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	White	--	--
Odour:	Polysulfide Odor	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash Point (°F):	200	--	--
Flash point (°C):	93	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups	N.A.	--	--

**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

relevant properties			
---------------------	--	--	--

**10. STABILITY AND REACTIVITY**

Reactivity  
 Stable under normal conditions  
 Chemical stability  
 Stable under normal conditions  
 Possibility of hazardous reactions  
 None  
 Conditions to avoid  
 Stable under normal conditions.  
 Incompatible materials  
 None in particular.  
 Hazardous decomposition products  
 None.

**11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
 Toxicological information of the product:  
 CS-3210 Part A Class B  
 Acute toxicity  
 Not classified  
 Based on available data, the classification criteria are not met  
 ATEmix - Dermal 2135.51 mg/kg bw  
 Skin corrosion/irritation  
 The product is classified: Skin Corr. 1B H314  
 Serious eye damage/irritation  
 The product is classified: Eye Dam. 1 H318  
 Respiratory or skin sensitisation  
 The product is classified: Skin Sens. 1 H317  
 Germ cell mutagenicity  
 Not classified  
 Based on available data, the classification criteria are not met  
 Carcinogenicity  
 Not classified  
 Based on available data, the classification criteria are not met  
 Reproductive toxicity  
 Not classified  
 Based on available data, the classification criteria are not met  
 STOT-single exposure  
 Not classified  
 Based on available data, the classification criteria are not met  
 STOT-repeated exposure  
 Not classified  
 Based on available data, the classification criteria are not met  
 Aspiration hazard  
 Not classified  
 Based on available data, the classification criteria are not met  
 Toxicological information of the main substances found in the product:  
 Mercapto-terminated polysulfide polymer - CAS: 109159-22-0  
 Acute toxicity:  
 Test: LD50 - Route: Oral - Species: Rat > 3000 mg/kg  
 Test: ATE - Route: Skin 1100 mg/kg  
 Aliphatic polysulfide polymer - CAS: 68611-50-7

**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Liquid polysulphide polymer with epoxy end groups - CAS: 117527-71-6

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Silicones and Siloxanes, dimethyl reaction products with silica - CAS: 67762-90-7

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 6350 mg/kg - Based on available data, the classification criteria are not met

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Based on available data, the classification criteria are not met

Test: LC0 - Route: Inhalation - Species: Rat 0.69 mg/l - Duration: 4h - Based on available data, the classification criteria are not met

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] - CAS: 25036-25-3

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

---

## 12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

CS-3210 Part A Class B

The product is classified: Aquatic Chronic 3 - H412

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

No harmful effects expected.

---

## 13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

## 14. TRANSPORT INFORMATION

UN number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

N.A.  
Packing group  
N.A.  
Environmental hazards  
ADR-Environmental Pollutant: No  
IMDG-Marine pollutant: No  
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)  
N.A.  
  
Special precautions  
N.A.

---

**15. REGULATORY INFORMATION**

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: All the components of this product are listed as active on or are exempt from the TSCA Inventory..

TSCA sections for substances listed in section 3:

Mercapto-terminated polysulfide polymer is listed in TSCA Section 8b

Aliphatic polysulfide polymer is listed in TSCA Section 8b

Liquid polysulphide polymer with epoxy end groups is listed in TSCA Section 8b

Silicones and Siloxanes, dimethyl reaction products with silica is listed in TSCA Section 8b

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1 phenyleneoxymethylene)]bis[oxirane] is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act

Section 302 Extremely Hazardous Substances: no substances listed.

Section 304 Hazardous substances: no substances listed.

Section 313 Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

No substances listed.

CAA - Clean Air Act

CAA listed substances:

None.

CWA - Clean Water Act

CWA listed substances:

None.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:



**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

No substances listed.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

---

**16. OTHER INFORMATION**

Full text of phrases referred to in Section 3:

- H314 Causes severe skin burns and eye damage.
- H312 Harmful in contact with skin.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H412 Harmful to aquatic life with long lasting effects.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H336 May cause drowsiness or dizziness.

According to TSCA section 3(2)(B)(i) : a hydrated form of a chemical substance is considered a mixture of the corresponding anhydrous form and water.

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- ATE: Acute Toxicity Estimate
- ATEmix: Acute toxicity Estimate (Mixtures)
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- CLP: Classification, Labeling, Packaging.
- DNEL: Derived No Effect Level.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- HMIS: Hazardous Materials Identification System
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association.
- IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
- ICAO: International Civil Aviation Organization.
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
- IMDG: International Maritime Code for Dangerous Goods.
- INCI: International Nomenclature of Cosmetic Ingredients.
- KSt: Explosion coefficient.
- LC50: Lethal concentration, for 50 percent of test population.
- LD50: Lethal dose, for 50 percent of test population.
- NFPA: National Fire Protection Association
- NIOSH: National Institute for Occupational Safety and Health

**Safety Data Sheet (HazCom 2012)**  
**CS-3210 Part A Class B - CS3210AB**

NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PNEC: Predicted No Effect Concentration.  
RID: Regulation Concerning the International Transport of Dangerous Goods  
by Rail.

TOTAL  
VOC'S  
(TVOC) /  
NONEXEMPT  
VOC'S  
(CVOC):  
Using  
California  
South Coast  
Air Quality  
Management  
District  
(SCAQMD)  
Rule 1143.

STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWA: Time-weighted average

Safety Data Sheet date: 12/18/2024, version 1