

Safety Data Sheet date: 12/14/2024, version 1

#### 1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: CS-3808 Part B Class A-1/2

Other means of identification:

SDS code: CS3808BAH Recommended use of the chemical and restrictions on use

Recommended use:

Industrial uses

Sealant

Restrictions on use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Manufacturers:

Flamemaster Corp., 13576 Desmond Street, Pacoima, CA 9 133 1 - USA CAGE Code:

14439

Distributors:

Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, www.flamemaster.com

Competent person responsible for the safety data sheet:

Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, www.flamemaster.com

Emergency phone number:

CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA)

### 2. HAZARD(S) IDENTIFICATION

Classification of the chemical

Warning, Flam. Liq. 4, Combustible liquid.

- Warning, Eye Irrit. 2A, Causes serious eye irritation.
- Warning, Skin Sens. 1, May cause an allergic skin reaction.
- Warning, Muta. 2, Suspected of causing genetic defects.
- Danger, Carc. 1A, May cause cancer.
- Danger, Repr. 1B, May damage fertility or the unborn child.
- Danger, STOT SE 1, Causes damage to organs.
- Warning, STOT SE 3, May cause respiratory irritation.
- Danger, STOT RE 1, Causes damage to organs through prolonged or repeated exposure.

Aquatic Acute 2, Toxic to aquatic life.

Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Label elements



## Hazard pictograms:



#### Danger

#### Hazard statements:

H227 Combustible liquid.

H319 Causes serious eve irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor/...

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a POISON CENTER/doctor/... if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use Alcohol foam, carbon dioxide (CO2), dry chemical, water spray/water fog to extinguish.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

## **Special Provisions:**

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.



### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 60% - < 70% Crystalline Silica (Quartz SiO2)

CAS: 14808-60-7, EC: 238-878-4

4.3/2A Eye Irrit. 2A H319

A.6/1A Carc. 1A H350

♠ A.8/1 STOT SE 1 H370

♠ A.8/3 STOT SE 3 H335

>= 3% - < 5% Dibutyltin dilaurate

CAS: 77-58-7

4.3/2A Eye Irrit. 2A H319

4.4.2/1 Skin Sens. 1 H317

A.5/2 Muta. 2 H341

♦ A.7/1B Repr. 1B H360

**♦** A.8/1 STOT SE 1 H370

♠ A.9/1 STOT RE 1 H372

US-HAE/A1 Aquatic Acute 1 H400

US-HAE/C1 Aquatic Chronic 1 H410

## 4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:



Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show the packing or label.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

In case of fire: Use Alcohol foam, carbon dioxide (CO2), dry chemical, water spray/water fog to extinguish.

Unsuitable extinguishing media

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A. Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.



Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature:

Store at ambient temperature.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Crystalline Silica (Quartz SiO2) - CAS: 14808-60-7

- OEL Type: OSHA PEL TWA: 0.05 mg/m3
- OEL Type: TWA TWA: 0.1 mg/m3 Notes: respirable fraction
- OEL Type: ACGIH TWA: 0.025 mg/m3
- OEL Type: IDLH TWA: 50 mg/m3 Notes: respirable dust

Dibutyltin dilaurate - CAS: 77-58-7

- OEL Type: ACGIH TWA: 0.1 mg/m3
- OEL Type: STEL TWA: 0.2 mg/m3
- OEL Type: OSHA PEL TWA: 0.1 mg/m3
- OEL Type: NIOSH REL TWA: 0.1 mg/m3
- OEL Type: TWA TWA: 0.1 mg/m3

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

Appropriate engineering controls:

None

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Use adequate protective respiratory equipment.

Thermal Hazards:

None

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	White		
Odour:	Slight Odor		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing	N.A.		
point:			



	1	1	1
Initial boiling point and	N.A.		
boiling range:			
Flash Point (°F):	200		
Flash point (°C):	93		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability	N.A.		
or explosive limits:			
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient	N.A.		
(n-octanol/water):			
Auto-ignition temperature:	N.A.		
Decomposition	N.A.		
temperature:			
Viscosity:	N.A.		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		

### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		

# 10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

# 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the product:

CS-3808 Part B Class A-1/2

Acute toxicity

Not classified

Based on available data, the classification criteria are not met



Skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

Serious eve damage/irritation

The product is classified: Eye Irrit. 2A H319

Respiratory or skin sensitisation

The product is classified: Skin Sens. 1 H317

Germ cell mutagenicity

The product is classified: Muta. 2 H341

Carcinogenicity

The product is classified: Carc. 1A H350

Reproductive toxicity

The product is classified: Repr. 1B H360

STOT-single exposure

The product is classified: STOT SE 1 H370; STOT SE 3 H335

STOT-repeated exposure

The product is classified: STOT RE 1 H372

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product:

Crystalline Silica (Quartz SiO2) - CAS: 14808-60-7

Acute toxicity:

Test: LD50 - Route: Oral 500 mg/kg

Dibutyltin dilaurate - CAS: 77-58-7

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Substance(s) listed on the NTP report on Carcinogens:

Crystalline Silica (Quartz SiO2).

Substance(s) listed on the IARC Monographs:

Crystalline Silica (Quartz SiO2) - Group 1.

Substance(s) listed as OSHA Carcinogen(s):

Crystalline Silica (Quartz SiO2).

Substance(s) listed as NIOSH Carcinogen(s):

None.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Adopt good working practices, so that the product is not released into the environment.

CS-3808 Part B Class A-1/2

The product is classified: Aquatic Acute 2 - H401; Aquatic Chronic 2 - H411

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

No harmful effects expected.

### 13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

CS3808BAH - version 1



# 14. TRANSPORT INFORMATION

**UN** number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

N.A.

Packing group

N.A.

Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions

N.A.

## 15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: All the components of this product are listed as active on or are exempt from the TSCA Inventory..

TSCA sections for substances listed in section 3:

Crystalline Silica (Quartz SiO2) is listed in TSCA Section 8b

Dibutyltin dilaurate is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act

Section 302 Extremely Hazardous Substances: no substances listed.

Section 304 Hazardous substances: no substances listed.

Section 313 Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act No substances listed.

CAA - Clean Air Act

CAA listed substances:

None.

CWA - Clean Water Act

CWA listed substances:

None.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Crystalline Silica (Quartz SiO2).



New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Crystalline Silica (Quartz SiO2).

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

## **16. OTHER INFORMATION**

Full text of phrases referred to in Section 3:

H319 Causes serious eve irritation.

H350 May cause cancer.

H370 Causes damage to organs.

H335 May cause respiratory irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

According to TSCA section 3(2)(B)(i): a hydrated form of a chemical substance is considered a mixture of the corresponding anhydrous form and water.

### Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

Classification, Labeling, Packaging. CLP:

DNEL: Derived No Effect Level.

**EINECS:** European Inventory of Existing Commercial Chemical Substances. GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

Hazardous Materials Identification System HMIS: International Agency for Research on Cancer IARC:

IATA: International Air Transport Association.

Dangerous Goods Regulation by the "International Air Transport IATA-DGR:

Association" (IATA).

International Civil Aviation Organization. ICAO:

Technical Instructions by the "International Civil Aviation Organization" ICAO-TI:

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.



INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

VOC'S (TVOC) / NONEXEMPT VOC'S (CVOC): Using California South Coast Air Quality Management District (SCAQMD)

Rule 1143.

**TOTAL** 

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average

Safety Data Sheet date: 12/14/2024, version 1