

Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

Safety Data Sheet date: 12/16/2024, version 1

1. IDENTIFICATION Product identifier Mixture identification: CS-3213 Part A Class A-1/2 Trade name: Other means of identification: SDS code: CS3213AAH Recommended use of the chemical and restrictions on use Recommended use: Restrictions on use: Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party Manufacturers: Dysol Inc. - 5475 E. State Highway 114, Rhome Texas, 76078 / Phone: 1-817-335-1826 / csr-na@socomore.com/ Fax Number: 817-335-2405 Distributors: Dysol Inc. - 5475 E. State Highway 114, Rhome Texas, 76078 / Phone: 1-817-335-1826 / csr-na@socomore.com/ Fax Number: 817-335-2405 Socomore Canada Limited - Unit 113 - 418 East Kent Ave S., Vancouver, BC V5X 2X7, Canada / Email: csr-ca@socomore.com / Phone: +1 604 420 7707 / Fax: +1 604 420 7701 Competent person responsible for the safety data sheet: msdsinformation-na@socomore.com Emergency phone number: CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA)

2. HAZARD(S) IDENTIFICATION

Classification of the chemical

Warning, Flam. Liq. 4, Combustible liquid.

Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Label elements Hazard pictograms:



Warning Hazard statements: H227 Combustible liquid. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. Precautionary statements: P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing must not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water/... P321 Specific treatment (see ... On this label).

CS3213AAH - version 1 Page 1 / 10

Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P370+P378 In case of fire: Use CO2, dry sand, dry chemical, alcohol-resistant foam, or water to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions: None Hazards not otherwise classified identified during the classification process: None Ingredient(s) with unknown acute toxicity: None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A. Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 60% - < 70% Aliphatic polysulfide polymer CAS: 68611-50-7 US-HAE/C3 Aquatic Chronic 3 H412

>= 0.1% - < 0.25% tetramethylthiuram disulphide CAS: 137-26-8

A.1/4/Oral Acute Tox. 4 H302

A.1/4/Inhal Acute Tox. 4 H332

A.2/2 Skin Irrit. 2 H315

A.3/2A Eye Irrit. 2A H319

A.4.2/1 Skin Sens. 1 H317



4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

CS3213AAH - version 1

Page 2 / 10

Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment: No particular treatment.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: In case of fire: Use CO2, dry sand, dry chemical, alcohol-resistant foam, or water to extinguish. Unsuitable extinguishing media None in particular. Specific hazards arising from the chemical Do not inhale explosion and combustion gases. Burning produces heavy smoke. Hazardous combustion products: Carbon oxides Halogenated compounds. Sulfur oxides. Metal oxides. Formaldehyde. Unidentified organic compounds. Explosive properties: N.A. Oxidizing properties: ΝΑ Special protective equipment and precautions for fire-fighters Wear self-contained breathing apparatus (pressure demand, MSHA/NIOSH approved or equivalent) and full protective gear. Move undamaged containers from immediate hazard area if it can be done safely, or use

water spray jet to protect personnel and to cool endangered containers. Combustion of this product will produce dense black smoke. Exposure to decomposition products may be a health hazard. If decomposition products released in a fire are inhaled, symptoms may be delayed. Exposed persons may need to be kept under medical surveillance for at least 48 hours.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

For containment:

Contain spillage with commerically available chemical berms and absorbant pads. For cleaning up:

Practice good industrial hygiene when handling this product. Use appropriate personal protective equipment. Evacuate spill area and ventilate properly.

Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

Precautions for safe handling

Always use appropriate personal protective equipment (PPE). Avoid all contact with eyes, mouth, skin, and clothing. Avoid breathing vapors and mists. Advice on general occupational hygiene: Practice good industrial hygiene when handling this product.

Do not eat, drink or smoke when using this product.

CS3213AAH - version 1

Page 3 / 10

Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Keep away from heat, sparks, and flame. Keep container closed when not in use. Store in a cool, dry area at a temperature between 50 and 95 degrees F. Do not store outside in direct sunlight.

Storage temperature:

Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

tetramethylthiuram disulphide - CAS: 137-26-8

- OEL Type: ACGIH - TWA: 5 mg/m3 - Notes: Inhalable fraction and vapor

- OEL Type: NIOSH - TWA: 0.05 mg/m3

- OEL Type: OSHA PEL - TWA: 5 mg/m3

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

Appropriate engineering controls:

Ensure good general ventilation. Local exaust ventilation may be necessary to control any air contaminats to within their TLVs during the ues of this product. Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Individual protection measures

Eye protection:

Wear safety glasses with side sheilds (or goggles) and a face shield.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Always follow all local, state, and federal laws regarding the use of respirators. A NIOSH/MSHA approved air purifying respirator with an organic vapor cartidge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. Wear a MSHA/NIOSH approved (or equivalent) full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. Always follow all local, state, and federal laws and regulations regarding the use of respirators. Thermal Hazards:

Keep away from heat and sources of ignition

9. PHYSICAL AND CHEMICAL PROPERTIES

CS3213AAH - version 1 Page 4 / 10

Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

Properties	Value	Method:	Notes
Physical state:	Paste		
Colour:	White		
Odour:	Polysulfide		
	odor		
Odour threshold:	N.A.		
pH:	8.5		
Melting point / freezing point:	N.A.		
Initial boiling point and	N.A.		
boiling range:			
Flash Point (°F):	200 °F		
Flash point (°C):	93 °C		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability	N.A.		
or explosive limits:			
Vapour pressure:	NIL		
Vapour density:	NIL		
Relative density:	1.52 (at 20 °C / 68 °F)		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient	N.A.		
(n-octanol/water):			
Auto-ignition temperature:	N.A.		
Decomposition	N.A.		
temperature:			
Viscosity:	N.A.		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes	
Miscibility:	N.A.			
Fat Solubility:	N.A.			
Conductivity:	N.A.			
Substance Groups	N.A.			
relevant properties				
NONEXEMPT VOC'S (0	CVOC): 16 g	/l 2 %		

10. STABILITY AND REACTIVITY

Reactivity Stable under normal conditions Chemical stability Stable at normal pressures and temperatures. Possibility of hazardous reactions Combustion will release hazardous decomposition products. Conditions to avoid Eliminate all possible sources of ignition (sparks or flames).

Heat. Limit exposure to air and light. Contamination.

CS3213AAH - version 1

Page 5 / 10

Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

Incompatible materials None in particular. Hazardous decomposition products CO, CO2 Halogenated compounds. Sulfur oxides. Formaldehyde Metallic oxides. Oxides of Carbon, Nitrogen sulfur Dioxide, Trace Hydrogen Sulfide Smoke and unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION Information on toxicological effects

Toxicological information of the product: CS-3213 Part A Class A-1/2 Acute toxicity Not classified Based on available data, the classification criteria are not met Skin corrosion/irritation Not classified Based on available data, the classification criteria are not met Serious eye damage/irritation Not classified Based on available data, the classification criteria are not met Respiratory or skin sensitisation The product is classified: Skin Sens. 1 H317 Germ cell mutagenicity Not classified Based on available data, the classification criteria are not met Carcinogenicity Not classified Based on available data, the classification criteria are not met Reproductive toxicity Not classified Based on available data, the classification criteria are not met STOT-single exposure Not classified Based on available data, the classification criteria are not met STOT-repeated exposure Not classified Based on available data, the classification criteria are not met Aspiration hazard Not classified Based on available data, the classification criteria are not met Adverse health effects Exposure to component solvent vapors at concentrations in excess of the stated Occupational Exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kind, liver, and central nervous system. Systems and signs of overexposure include headache, dizziness, fatigue, muscular weakness, drowsiness, reduced fetal weight, increase in fetal deathsl, skeletal malformations, and in extreme cases loss of conciousness. Repeated or prolonged contact with the preparation may cause defatting of the skin resulting in non-allergic dematitis and absorption through the skin. The liquid splashed in the eyes causes serious eye irritation and damage.

CS3213AAH - version 1 Page 6 / 10



Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

Irritating to mouth, throat, and stomach. Ingestion causes reduced fetal weight, increased fetal deaths, and skeletal malformations. Formaldehyde is released during curing. Toxicological information of the main substances found in the product: Aliphatic polysulfide polymer - CAS: 68611-50-7 Acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg tetramethylthiuram disulphide - CAS: 137-26-8 Acute toxicity: Test: LD50 - Route: Skin - Species: Rat > 1000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat 3.46 mg/l - Duration: 4h Test: LD50 - Route: Oral - Species: Rat 1800 mg/kg

 Substance(s) listed on the IARC Monographs:

 None.

 Substance(s) listed as OSHA Carcinogen(s):

 None.

 Substance(s) listed as NIOSH Carcinogen(s):

 None.

 Substance(s) listed as NIOSH Carcinogen(s):

 None.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. CS-3213 Part A Class A-1/2

The product is classified: Aquatic Chronic 3 - H412 Persistence and degradability N.A. Bioaccumulative potential

N.A. Mobility in soil

N.A.

Other adverse effects No harmful effects expected.

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Additional disposal information:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.

14. TRANSPORT INFORMATION

UN number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations. UN proper shipping name

N.A.

Transport hazard class(es) N.A. Packing group N.A. Environmental hazards

CS3213AAH - version 1 Page 7 / 10



Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) N.A.
Special precautions N.A.
15. REGULATORY INFORMATION USA - Federal regulations
TSCA - Toxic Substances Control Act TSCA inventory: All the components of this product are listed as active on or are exempt from the TSCA Inventory
TSCA sections for substances listed in section 3: Aliphatic polysulfide polymer is listed in TSCA Section 8b tetramethylthiuram disulphide is listed in TSCA Section 8b.
 SARA - Superfund Amendments and Reauthorization Act Section 302 Extremely Hazardous Substances: no substances listed. Section 304 Hazardous substances: no substances listed. Section 313 Toxic chemical list: tetramethylthiuram disulphide.
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act No substances listed.
CAA - Clean Air Act CAA listed substances: None.
CWA - Clean Water Act CWA listed substances: None.
USA - State specific regulations California Proposition 65 Substance(s) listed under California Proposition 65: None.
Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: tetramethylthiuram disulphide.
New Jersey Right to know Substance(s) listed under New Jersey Right to know: No substances listed.
Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to know: tetramethylthiuram disulphide.
The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new partial convention for bydrocarbon solvents:

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

naming convention for hydrocarbon solvents:

Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

H412 Harmful to aquatic life with long lasting effects.
H302 Harmful if swallowed.
H332 Harmful if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.

According to TSCA section 3(2)(B)(i) : a hydrated form of a chemical substance is considered a mixture of the corresponding anhydrous form and water.

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Osfatis Date			preceding release.
I DIS SATATV LIATA	Sheet cancels	and replaces any	

This Galety Da	a onect cancels and replaces any preceding release.
ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
TOTAL	
VOC'S	
(TVOC) /	

VOC'S (TVOC) / NONEXEMPT VOC'S (CVOC):

CS3213AAH - version 1 Page 9 / 10

Safety Data Sheet (HazCom 2012) CS-3213 Part A Class A-1/2

Using California South Coast Air Quality Management District (SCAQMD) Rule 1143. Short Term Exposure limit. STEL: STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. Time-weighted average TWA:

Safety Data Sheet date: 12/16/2024, version 1