

## Safety Data Sheet (HazCom 2012) CS-3205 Part B Class B - CS3205BB

Safety Data Sheet date: 1/8/2026, version 1

---

### 1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: CS-3205 Part B Class B

Other means of identification:

SDS code: CS3205BB

Recommended use of the chemical and restrictions on use

Recommended use:

Industrial uses

Sealant

Restrictions on use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Manufacturers:

Flamemaster Corp., 13576 Desmond Street, Pacoima, CA 91331 - USA CAGE Code: 14439

Distributors:

Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, [www.flamemaster.com](http://www.flamemaster.com)

Competent person responsible for the safety data sheet:

Flamemaster Corp., Tel 818-890-1401, Fax 818-890-6001, [www.flamemaster.com](http://www.flamemaster.com)

Emergency phone number:

CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA)

---

### 2. HAZARD(S) IDENTIFICATION

Classification of the chemical

Warning, Flam. Liq. 4, Combustible liquid.

-  Danger, Acute Tox. 3, Toxic if swallowed.
-  Danger, Acute Tox. 2, Fatal if inhaled.
-  Danger, Skin Corr. 1B, Causes severe skin burns and eye damage.
-  Danger, Eye Dam. 1, Causes serious eye damage.
-  Danger, Resp. Sens. 1, May cause allergy or asthma symptoms or breathing difficulties if inhaled.
-  Warning, Skin Sens. 1, May cause an allergic skin reaction.
-  Danger, Muta. 1B, May cause genetic defects.
-  Danger, Carc. 1B, May cause cancer.
-  Danger, Repr. 1B, May damage fertility or the unborn child.
-  Danger, STOT RE 1, Causes damage to organs through prolonged or repeated exposure.

## Safety Data Sheet (HazCom 2012)

### CS-3205 Part B Class B - CS3205BB

- ◆ Warning, Aquatic Acute 1, Very toxic to aquatic life.
- ◆ Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

#### Label elements

#### Hazard pictograms:



#### Danger

#### Hazard statements:

- H227 Combustible liquid.
- H301 Toxic if swallowed.
- H330 Fatal if inhaled.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H360 May damage fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash ... Thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 [In case of inadequate ventilation] wear respiratory protection.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
- P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
- P302+P352 IF ON SKIN: Wash with plenty of water/...
- P303+P361+P353 IF ON SKIN (or hair): Take off all contaminated clothing immediately. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P320 Specific treatment is urgent (see ... On this label).
- P321 Specific treatment (see ... On this label).

## Safety Data Sheet (HazCom 2012) CS-3205 Part B Class B - CS3205BB

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor/...  
P363 Wash contaminated clothing before reuse.  
P370+P378 In case of fire: Use ... to extinguish.  
P391 Collect spillage.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with applicable regulations.

### Special Provisions:

None

### Hazards not otherwise classified identified during the classification process:

None

### Ingredient(s) with unknown acute toxicity:

None.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

N.A.

#### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 30% - < 40% sodium dichromate, dihydrate  
Index number: 024-004-01-4, CAS: 7789-12-0, EC: 234-190-3

- ❖ B.14/2 Ox. Sol. 2 H272
- ❖ A.6/1B Carc. 1B H350
- ❖ A.5/1B Muta. 1B H340
- ❖ A.7/1B Repr. 1B H360
- ❖ A.9/1 STOT RE 1 H372
- ❖ A.2/1B Skin Corr. 1B H314
- ❖ A.3/1 Eye Dam. 1 H318
- ❖ A.4.1/1 Resp. Sens. 1 H334
- ❖ A.4.2/1 Skin Sens. 1 H317
- ❖ US-HAE/A1 Aquatic Acute 1 H400
- ❖ US-HAE/C1 Aquatic Chronic 1 H410
- ❖ A.1/2/Inhal Acute Tox. 2 H330
- ❖ A.1/3/Oral Acute Tox. 3 H301

## Safety Data Sheet (HazCom 2012) CS-3205 Part B Class B - CS3205BB

◆ A.1/4/Dermal Acute Tox. 4 H312

>= 1% - < 3% 1,3-diphenylguanidine

Index number: 612-149-00-4, CAS: 102-06-7, EC: 203-002-1

◆ A.7/2 Repr. 2 H361

◆ A.3/2A Eye Irrit. 2A H319

◆ A.8/3 STOT SE 3 H335

◆ A.2/2 Skin Irrit. 2 H315

◆ US-HAE/C2 Aquatic Chronic 2 H411

◆ A.1/4/Oral Acute Tox. 4 H302

---

### 4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAİN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show the packing or label.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

---

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

In case of fire: Use ... to extinguish.

Unsuitable extinguishing media

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

## Safety Data Sheet (HazCom 2012) CS-3205 Part B Class B - CS3205BB

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature:

Store at ambient temperature.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

sodium dichromate, dihydrate - CAS: 7789-12-0

- OEL Type: TWA - TWA: 0.05 mg/m<sup>3</sup>

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

Appropriate engineering controls:

None

Individual protection measures

## Safety Data Sheet (HazCom 2012)

### CS-3205 Part B Class B - CS3205BB

#### Eye protection:

Use close fitting safety goggles, don't use eye lens.

#### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

#### Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

#### Respiratory protection:

Use adequate protective respiratory equipment.

#### Thermal Hazards:

None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Black	--	--
Odour:	Negligible Oily Odor	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash Point (°F):	200	--	--
Flash point (°C):	93	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

#### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--

## Safety Data Sheet (HazCom 2012)

### CS-3205 Part B Class B - CS3205BB

Substance Groups relevant properties	N.A.	--	--
---	------	----	----

## 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

### Chemical stability

Stable under normal conditions

### Possibility of hazardous reactions

None

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Toxicological information of the product:

CS-3205 Part B Class B

### Acute toxicity

The product is classified: Acute Tox. 3 H301;Acute Tox. 2 H330

ATEmix - Oral 259.827 mg/kg bw

ATEmix - Dermal 3348.55 mg/kg bw

ATEmix - Inhalation (Vapours) 1.52207 mg/l

### Skin corrosion/irritation

The product is classified: Skin Corr. 1B H314

### Serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

### Respiratory or skin sensitisation

The product is classified: Resp. Sens. 1 H334;Skin Sens. 1 H317

### Germ cell mutagenicity

The product is classified: Muta. 1B H340

### Carcinogenicity

The product is classified: Carc. 1B H350

### Reproductive toxicity

The product is classified: Repr. 1B H360

### STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

### STOT-repeated exposure

The product is classified: STOT RE 1 H372

### Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

### Toxicological information of the main substances found in the product:

sodium dichromate, dihydrate - CAS: 7789-12-0

### Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 86.5 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat 0.2 mg/l - Duration: 4h

1,3-diphenylguanidine - CAS: 102-06-7

### Acute toxicity:

## Safety Data Sheet (HazCom 2012) CS-3205 Part B Class B - CS3205BB

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg  
Test: LD50 - Route: Oral - Species: Rat 350 mg/kg

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

### 12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

CS-3205 Part B Class B

The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410

1,3-diphenylguanidine - CAS: 102-06-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Oryzias latipes 17 mg/l - Duration h: 96

Endpoint: LC50 - Species: Oryzias latipes 10 mg/l - Duration h: 48

e) Plant toxicity:

Endpoint: EC50 - Species: Algae 2.9 mg/l - Duration h: 72

Endpoint: EC50 - Species: Daphnia Magna 8.1 mg/l - Duration h: 48

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

No harmful effects expected.

### 13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

### 14. TRANSPORT INFORMATION



UN number

ADR-UN Number: 3082

DOT number: UN3082

IATA-UN Number: 3082

IMDG-UN Number: 3082

UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (sodium dichromate, dihydrate)

DOT-Shipping Name: Environmentally hazardous substance, liquid, n.o.s.(sodium dichromate, dihydrate)

## Safety Data Sheet (HazCom 2012) CS-3205 Part B Class B - CS3205BB

IATA-Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (sodium dichromate, dihydrate)
IMDG-Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (sodium dichromate, dihydrate)
Transport hazard class(es)	
ADR-Class:	9
DOT Hazard Class:	9
ADR - Hazard identification number:	90
IATA-Class:	9
IATA-Label:	9
IMDG-Class:	9
Packing group	
ADR-Packing Group:	III
DOT Packing group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
Environmental hazards	
ADR-Environmental Pollutant:	Yes
IMDG-Marine pollutant:	Yes
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)	
N.A.	
Special precautions	
DOT Special provisions:	8, 146, 173, 335,441, IB3, T4, TP1, TP29
ADR-Subsidiary hazards:	-
ADR-S.P.:	274 335 375 601
ADR-Transport category (Tunnel restriction code):	3 (-)
IATA-Passenger Aircraft:	964
IATA-Subsidiary hazards:	-
IATA-Cargo Aircraft:	964
IATA-S.P.:	A97 A158 A197 A215
IATA-ERG:	9L
IMDG-EmS:	F-A , S-F
IMDG-Subsidiary hazards:	-
IMDG-Stowage and handling:	Category A
IMDG-Segregation:	-
Q.L.: 5L	
Q.E.: E1	

### 15. REGULATORY INFORMATION

USA - Federal regulations

#### TSCA - Toxic Substances Control Act

TSCA inventory: All the components of this product are listed as active on or are exempt from the TSCA Inventory..

#### TSCA sections for substances listed in section 3:

sodium dichromate, dihydrate is listed in TSCA Section 8b  
1,3-diphenylguanidine is listed in TSCA Section 8b.

#### SARA - Superfund Amendments and Reauthorization Act

Section 302    Extremely Hazardous Substances: No substance listed.  
Section 304    Hazardous substances: No substance listed.  
Section 313    Toxic chemical list: No substance listed.

#### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

## Safety Data Sheet (HazCom 2012) CS-3205 Part B Class B - CS3205BB

Substance(s) listed under CERCLA: sodium dichromate, dihydrate - Reportable quantity: 10 pounds.  
Reportable quantity for mixture: 30.4414003 pounds.

CAA - Clean Air Act

CAA listed substances:  
None.

CWA - Clean Water Act

CWA listed substances:  
None.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:  
sodium dichromate, dihydrate - Listed as carcinogen and reproductive toxicant.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:  
sodium dichromate, dihydrate.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:  
No substances listed.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:  
sodium dichromate, dihydrate.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

---

### 16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H272 May intensify fire; oxidiser.  
H350 May cause cancer.  
H340 May cause genetic defects.  
H360 May damage fertility or the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H330 Fatal if inhaled.  
H301 Toxic if swallowed.  
H312 Harmful in contact with skin.  
H361 Suspected of damaging fertility or the unborn child.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H315 Causes skin irritation.  
H411 Toxic to aquatic life with long lasting effects.  
H302 Harmful if swallowed.

## Safety Data Sheet (HazCom 2012) CS-3205 Part B Class B - CS3205BB

According to TSCA section 3(2)(B)(i) : a hydrated form of a chemical substance is considered a mixture of the corresponding anhydrous form and water.

### Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
TOTAL VOC'S	
(TVOC) /	
NONEXEMPT	
VOC'S	
(CVOC):	
Using	
California	
South Coast	
Air Quality	
Management	
District	
(SCAQMD)	
Rule 1143.	
STEL:	Short Term Exposure limit.

**Safety Data Sheet (HazCom 2012)**  
**CS-3205 Part B Class B - CS3205BB**

STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWA: Time-weighted average

Safety Data Sheet date: 1/8/2026, version 1